TON'S TELECOM DICTIONARY

ight © 2000 Harry Newton : Harry Newton @ Technology/investor.com

mai web site: www.HarryNewton.com

this reserved under International and Pan-American Copyright conventions ing the right to reproduce this book or peritons thereof in any form whatsoever.

hed by Telecom Books print of CMP Media Inc.

ork NY 10010

1-57820-053-9

with Edition, Expanded and Updated, February 2000 dividual orders, and for information on special discounts for quantity orders

s contact:

im Books

Silacci Way , CA 95020 00-LIBRARY or 408-848-3854

00-LIBRARY or 408-848-3854
408-848-5784
referoin @ rushorder.com
rushed to the book trade in the U.S. and Canada by

ners Group West Fourth St., Barkeley, CA 94710

NEWTON'S TELECOM

The Official Dictionary of Telecommunications & the Internet

16th Updated, Expanded and Much Improved Edition

Appendix A

code; A separate inconce must be beld or wards to the British PSTN (Public Switcher of the system of present first far the population of a ystem Germani Lucence. A Briller form

ideads includation. The bady responsible to

tion literally Code, An attribute of a 65% is to the title places of the over 100 national UK standach innoss a wide range including ions, 1954 also is responsible for input in ions bodies had CEN and DEMELEC, as well ions bodies had CEN and DEMELEC, as well innose the control of the con So Manhie Communications) tell which is I he see world www.bsc.org .a.s. For the U.S. standards bodies such as the ISO and the

conducts for splicing cases for investing applicates, collecting detail focking phone sales. They are on once erore) the instruction calculations to do everything. Diversitions has es BSPs are not as important to they were manufuen and installation manuals. BSP stem Prosting. A very defined way of writing distinction bytween local cells inwing the

conten possible autos to scool e po feciliano. an and his or ner built is most likely is pack most cases when this book is pulled out, like ech weeps in his or her back pocket or hy herindepoli. David Barreiyn, an enginesi who der phone out word noders that 's BSP in the ded down all the RSF's

A wid in place that have the second in the sec aling stat we don't went the pages in this book dut opinis me delimition was in which the per state of the st It in, Whys the powers to bein seen again & dubth know it was in their dictionary. Some HERES & GOOD RENDER

ge Belgerië Fragancy Son Finling, also Syden. A werkest lakopominandilijns slave Syden. A werkest lakopominandilijns slave Syden for Addin Connectications). Alth menaging raftor frequency secondry with menaging after the

Apps of Operations Support System (USS) with may system in cut or USC) with may system in cut or USC and control of USC or USC) and control co with which is located at the enter of the ret ant custome service in preprinting and the page business operations such as billion sport System. The system went by intend-

oz 51 apries io ATM connections success for a letter capacity of 160 Glass THE STATE OF THE PROPERTY AND THE PARTY AND THE PARTY PARTY. the sylwicide and which are the equivolent o 2. Feigles Turnment Hall A make your out thromat one cay offer great or designed in about the same and thromat one cay offer the same of t SES I BUSY BRIGHTSON UNI

agen. The United States is tension down time 400 maps that ing areas the experience composed. There to interests were arout for incressing ETS waveless primare systems. Soverell Billiss

Communications Offerion at the Windson Capital Television Show on Department 1, 1997, General instrument until the past is built to 1500 Mars and can support enter an each sta-test and services auch as vides-on-demand, leagthing infer-2 Boarbard Telecommentations Architecture an architecture of the contract of t Mila consist ei Bread Gask, leadiog Aleas (Bilas) 2. Broadbaad Telecongraphications Architecture, an make up Metropolibio Footing Area, an use solined by the FCC by the purpose of issuing increases by PCS. This addition

 Blumbas leghology Association. Previously
MOMENALANDA BIA was suined to the renger of the
Malicial throc Maghille Desers Association and the Lotal
Audi Nerwork Dusliers Association BIA holds several outlier. Schlady, 6863 Services, 680 Association. Providually want for the preparate of the

couse a veet Members include manufacturers, distributers

message. See ATM 811 British Telecom International

ACT ALL SECTIONS OF SECTION OF A DOCK AND AND AND AND AND ASSESSED OF A SECTION OF A DOCK AND AND ASSESSED OF A DOCK AND ASSESSED OF ing-party number for recording purposes. See Billing 818 Allied Teaphone Mondon The primer; describes uses the used the billing, repectives of the support of pieces lines associated with their quarter. According to Selector, BTM a 811. Bar Telephone Laboratorno

specificalities that you particularly warm -- RAM, size of least delivering PCs and indictions that contain the lindware **870** Bull To Ordal PC makers lies Todinin and Dell **2**

STRE States I recomm feetigroup Laborations. 8705 A URBA program which trackings broat likes with

the Late 1980's and their load shall it is now called Pervaled designations described for LAWs. Novel pought the consistence mediates for key value, using sequential or reprince 2008 mediates forst administration 1093. Brokes with one of the law ment system forteve is a vap-respond desentation record intension ment system four data returner, inspiri, usurbite, no isolate

exertitie air interface Contributional device soled to transmit racio traductors Harris Bare Transporter Stellers A weights bescharpship

mail thing distants the sessions and expensions sometime 815 Applicans and equipment to Wild Application (med in a legs becommoningware term. Devices participated in manage 875M RTS (Base Transparser Station) Management A wee

prime som uppger skaltnykke, janog, sittel skalig of Andre somer des se steelijk jaardes, sittelijk of skalig of

to systems. Computer structures well capacitic industrial will be a considered to a second to the se

Bushet RMON premisingly to a discrete sample of out-*** By The Way Art southly a condition electrical, made intended to south world, or to be into an electrical. KNOWANI STANDARD INC. A18 20,00

all dista superhight was seen to equal as orderal surjects to a "Sought of the time." An extend to the experiment of the most them, of pourse, but the soil thank had a let align most them, of pourse, but the soil thank had a let align most them, of pourse, but the soil thank had a let align most them, of pourse the soil thank had a let align most thank the soil thank the soil of them of the most thank the soil of the soil of the soil of the most thank the soil of the soil of the most thank the soil of the soil of the most thank the soil of the soil of the most thank the soil of the soil of the most thank the soil of the soil of the most thank the soil of the soil of the most the soil of the most the soil of the most the soil of the most the soil of the soil of most the soil of most the soil of most the soil of most The RASON Enstore greats specifically over transaction as assessing functions of the different often sources. See Bischets. Bushed of Direct Tome three open a line, every new con-

tes publish indreased spendage patterns, small brisides, and large publishes or evaluation minutes so large that their causes

Buffer 1. In dails transpossion, a buffer is a lemporary stor

flywing the banks. A butter row be worked in the section or hould between two citizent devices true trace defined into sec a filment Amberru pauglin agoet, get rain teleg age location for insured an frong sent or received. Usestin

2 A castering material school to contrict on product see tales. Per below days by constructed using other a finith picket or incre-SPANSO SPANSON

Prince upin gots a month by a secretic cell accounting secrets and theo assembles site apports showing who make the initial cells as most expertitive cells. At A higher bits would be until the first and the most cells. region on phore calls and have that insurance insurance Settler Box A cylindral during cultilization of a hold photos setum (POX) that collects, storm and reputs dust from the 3. A digual or comparent which includes one electricity curve men men 6 6 e enen dem allocated to a PEA by a series cable. A believe has well of laws Not place system. Such a bour could be used to collect infor

Suffer Consting Francism indical action to few a receive appears that any filter or main content on light Stand in margins through them or main-contest on light.

Section delical and beloaging frame Buffer Maneory Economic Utality where this is not ourse buffering See Buffer

this type of repeter also content by the this of crestments to Scottige Cigations during Substitute See Builde **Builferad Repastion** A Journal The terrorists and opposed **Buffer Starage** (Actions alcoling while data is well during buffering. See Buffer

A A publien in subward of hardway. The wayout compiler bag a winth is ensurant of the Wastengrap have have hard if we make you in hardward salam in an early composity in 1946. \$86 1 % comparied improprients of Halfman, Ottobal of Ulfah Koods Statistics tight A spinistigematic belog sets key to inguit by the open of the one of page of

the book of a exist. These days, "bugs" in refer on in com-basis systems are not insisted. They're indeed dutile pilitizes In alternative the control and to control and to control and the control and t pools called "Edison has the ext throught by four times in drogs has been amore by ours. His menticipal line 1911 ed fashings." And they are, indeed All too those is the story the may filed to put out in het the early "bug" for publishing rijat artversey what smooth operations, Bogs vesutify over electronic impacts, cauchest between two electric relays, lay

Bug Mix A Stily term by the precise extension of bugs in particular page of extincies Over. The book talks about Edison herassass its employees One signed eath one beg

Bug Reads The interpretary will which new thins per transform to the property will which new thins per transform the proton pools is refuned to as the hough sun. As there hough are fixed, and as time passes, tough will uncome more and inseed defined in find and pays hough will be shared as some and inseed defined in find and pays hough will be shared as some and inseed to be a second as a second as

Building Core A Hart dimensional state learneding one trugs) take been freed, a product is ready for the most stage in due to the ting rate decreases. Usually when the top rate drops to zero and all major bags rand mast et dia milion

CARGINET GOT HER BROOKS (SUCRE AND BL distribution of juliety services (e.g., elevators, washingers, currently services), precharacter and electrical systems, unit teleprote. and increased and rates pare Borganie and positions and

to imprine services or providers and often force extellar contacts. trum permission to baild tabilities and their statement and sain them access from explainment for given demonal by Companied base fectivable Company (CLECS) who play aslets chara companies and whites when a britiship, given Building Entrance Agreement A pace of pase that Building Distribution Frame Courselons in the bush no wheel oil lengtony warm for the Bubbley R. All the names from the outside the bushing warms that come und and the page hed shown on the hundring stitutions in terms. Therefore which may agree to the avoid praying the nation's Authoral cable would lake the telephole circule upstens

in founds and other assumes the three broads and the state of the stat makes of the form that the Daylor and Supplied to the control of the form that the control of the co winded pass degree and make my other waters and with from self to from self to when the front periods on which self on the front self of the front sel eu capacité subset au ros quandinos unimitades seus provided. The retiency migration as well at the projections and cables within the trusting and where starring protection is inspirates one new pariting such services. See Building Strine leastifation companies e.g. New York

Building Footing The criticist base united the Sound Hotel FIGURATOR SOMETHING I waiting in which copies win holy to laid in him

(% Q.3). The fifty weedone did out security specific as any tier OTF they down marginalizate it was refused to \$15. Standard this DX "stated" was then subtract to the EEE when Version 2 wardows of a COMMOD media screen profoun distances and shounded the (thenes Version 1 and filterar **DEX** (humbled)/Xerox (hat early fields execution of man

Specification (PC16 and the familie 14% connector attaches to a the unflework, the man that opposite plugs only the nextication with the improvement value or an experiment of state of the THE CHARGE STREET STREET BY STORY STORY STORY STORY

STE Esberast The UEC, Intel Menn Shehel standard REVENUES AND SHIP PAR E COST SUSTAINED INSURED SECURIOR SE also known as Version For Bhadasak Ethercet. Thave suc sub-

ON 1 DISPUBLICATION IN Spart Ref a Tuespart

width, electrical distribution lacridy. Such DLCs are pase in Caracter SASSESSES Traditional OLOs also are known as SLOs (Subscriber Loss) carre sealth propagati y sequenti adies e ad pass as set by the servings in distribution leadiness divough eliminating situations in which the cost or the equipment is more than of oter and demilliples investig channels over a high-heist traditional CLCs are channel banks — devices which must the missions is primed to extrestical exact grade or all or on which extend to the extenditual costonial premiser. Officialistic minates in injecting (ALC steptionique Fisse the reade must Wisted-pair circuit is deproyed from the CO in the emion location at the point of Remote Termination (TT), white a termultiplexing opinioners in the costor office (CO). A four will nay from the operal office to unamous site, in the traditioner opployment. Daylout Other Termination (CCT), considers volve-grade, from a single but-wise distribution under on aus system derives multiple disservis, lepically 64 ktyp. used to provide pair ipato on a focul force. The digital loop can SALESTAND CONTRACTOR NEWS WINDS COST FRANCE OF THE COST FRANCE OF THE

ASSESSMENT STORY

the electrical works. See also SLC Charges Blank IIII winted self. This type of system can be characterised as a pleasing. The lend leg of the feets leng remains embedded bandwidth filter uptic facilities from the COT to the RTL The in a minim communiquemy someone, the carriers representationinstabling). Additionally, the deployment of their water trick-THE PROMINE THE CARD AND GREENING IN FITTH (FIGURE TOnon propos, OEOs offer clear advantages in companion to lyteric lacest lange system. Given the thigs cost of such conser-THE PROPERTY OF THE PARTY OF TH the opinion against left of method bits per second (13) in

which provides the interface of digital make and they say

THE SHADOW SHE WITH I

DATE CHARLE CARE CHARLES AND ALLOW SECTION OF J CAND EMPLOSE FOUNDAMENT SE parago April 10 an Applica the rear DLSW storage provides preresentilly and less and helibitis over the TSPAP protect. According to than desired in prepared filligeaducator and a person

SM Dett Methodsken

are seed in a common UCC (great last west unit a UCC is eral cults con sing sampling origin (police) for CCC where calls STREET, CHIEF USE THE COUNTY OF THE THE BUILDING, STOP SET Calls, make calls, with up contevers a calls, and critically system. partition used by system oberators to make catts, toroide Sheed the Coopele An ASST Makin peril. An answerin Sign Date Link Control

tions. The branchess of their steel are of countdwise

collining a 10-bit field or me Address Feets. The OLD I dente SECTION CONTRACTOR LEGISLATION A FIGURE SHIPLY SEAL THEY F SAME OF HOME

maket ens stat promoterna televatet teratatat kildet d me Minter Mark, filman stimaning Dark bija stimen maj s mana a tama

See the control of th form (Re) Herri fastist (size then and stammine has Mayrounteen between (six top light Anthony) May York Str 1910-9 (ASS) 1250 Average of the American

Contradicts in 1811 contradicts in 1821/26 sectioning 5228 (18 DOWN THE BOOK WAY IN CONTAIN SURVEY CHIEF CHIEF SHALLY DESWEET CHEETEN AND STREET COME SHE DIGHT Bots and invariant the injuries successor providing data trapping COLUMN ARCHAR (2000 EN HADRE) y (manual) WING Digital Multipoint Bridge

Souther to a storm exposed to the Control Proporties office are which to specifie swap the PAD from the other mode in the Differential Mode (letter & time optic team (MAI) refer

Assume the case page to the continue of the control of the case of March 1946 St. St. 1 St. 1 St. St. | June 1941 St. (Sept.) June PLES 13du Londe Exchange Chinese in company which again SEL looks with richer DEL functions of spelling being to The approximant made is computed an application that we - Individual to adjustment - and the individual way TOTAL THE PART WHEN HE WAS AN ADDRESS TO THE TAXABLE NAMED IN light permittens into dooler which operate at vary high MERIMATIKA TURK Nebel biga sa Understan willi medimode Merimatika terutahan samatan sama produsikan has to adding significant a prospect later inner to the product speaks using indianaly title (1994 formed daying which operate a HOW SPARES DURINGERS IN WARRY TO ARE SHEET AS STRUCKED the state of the second Cultimated light or Applications Applicated Supplied Style 1688 (Alban erfins) aptunted par Adamsina eta 128 ali d

engineered often over however this and CUECO Shell. DLR Design Layers Report in descriptions of income classic HIBSTORY (TALKY) Specification Resistory (10.0 Call Max BAPS As ASAS from 1986/ Supercytones 1980 1-101 Provide to pass a combine regarday missission out. Special designation of the control o (RED) primitarily no work with DECIME PC SA for DGS ONL & Bath tilled i type driver A tillegt spychinatum developed a d this mutilitated combination. However, the amening aligner AN SCORE THE PROPERTY WE SEE WHITE SOURCE STATES AND STATES AND SECURITY AND SECURI fixer also is prouch exts cough, Emerge at 10/100 million but SET SHOULD MAKE THE SHOP IN THE SHOP CARS, GILDPARS Sharrest standard requires one use or come about in orthogo lively long distances. The continuation of LEDs and multimode State and other streets offer it was desirable that their

DLSW DARLES SHEETING WORKSHIP THE WORKS OF BE NaBIOS right TCP/IF currylling or the Chia Link wood IN oran arrayani insurus syar can be used with GSFF or PPP BY Data Free Street and Legal Supplementary Charlest Page 5 sease. The problem as 1946, which years years and to designation in this environment even over short the dwides the T-1 trunk and 23 year channels and one signifies dwinnel. Also what as a T-1 PBX to computer interface. See Management interface & PBX to compute interface that 1980 programme seeks of segret dates see Model Disputtion Digital Middlebase labstace AT&Ts Digital

inviteding with three objects and an application interface Significant auditoriants of programments of production for norm SWARDED SAND SELECTED FOR THE THE STATE OF T Active --- also of ansalt created betalt betalt business betalt Management Fizik Force, a group working us anyrowing and gengement interface developed by the DMH. the Deskies 2 Dusklop Management Interface a projected independent Chair Mobile Course (spinish)

> everage watch and page all on papinoni salay

de para de company producer de para esta de serio de seri 1884 - Direct Stempt v Archite A Say perfect of a specific So worthwater of constraints of constraints and constraints as 新市市 6月86年 在中央的第四日 中央公司的 小型車 50 年8日 新建筑 AND IN THE PARTY OF THE PARTY OF THE WARRY AND THE WORLD are established by Medius Maste Restarch to the pa-Decument Management Alleres Lassgrafes Manage Arra, This later specifies the prograph BM and PC management applications can signal personal. Hanks to 1986, Bethur, It support person phone lime by Pit. Management applications and fedimin

memory by a complete a device like bycence life CFD

Chief \$50 below \$500 (still)

AND STATE OF THE CASE STATES AND NATION OF THE PROPERTY STATEMENT OF THE PASS AND PROPERTY SEE With CMAI, INSTANCE SUBJUST INDIVIDUALS and PC marage

SMI-805 (higher Multipliered indulace-till Diferent Sounding A form of suppoling, which tries the 24th channel of each DSI to carry septiating internation, whereas) client creating of Spickago against with a bringleist E rithw chuşte estua ilgin cita enter cirgins and processing The Chiedray Monday o A CON AND THE

DAN DECISION MARY TO Number These are DASC-1 THE COURSE COURSE CARREST AND Date Degraf Multiplier by COMPANY SECTION

cand on Spoke Caud Stubs

ON STREET SALL SALD क किल प्रिक्त में मिलिटी बस्ति क Charges within AUS! an charges are symmetry operation and the same areas COMPANY OF ANY OF Chemical way carry a "VO * Four 'A' dispersion a participated interest source to the follow as a PO UN TRICINO DES ÁRREI SUAS out ban coline many of cities titles with an

FFA-BOA RASH BURDY WE States ago of dappressurers CHIEF HIS BYREAS OF OFFICE the expense of a districtle of actif autog by Swolle er C. was sink (side) pgs · CHE THE BUILD WELL Stufffern leiezens Data's SPECIFICATION OF weeks. This compared could material and statement HE PROGRES SOURCES MANY the superingranding

· Failably the home use repose dedits, and lewyth Emploped operations of

\$1.5% Chick and New York Evaluation

perpensi vendura. Didi ringgaba ligatiwan ili sudwan Mits eases to marsyst, one and control Specifically DM is a sectionary developed by the Deskinp Management Taus CONTRACTOR IN A TOTAL THAT CAN BE EXTEND ALLERS OF OWNER For (DMIF) a controlled of harmone software and Result of a concernative individually wide offerd to make PC sus-Ammer The Gusking Management Interface (GMI) is a the Section With a DASS

. Ask the density of manage about any principles. · ACCUSS and Chemic because in which and Addition · Access an experiency of hardware tion tollware cresponents

> Management interface (18) accomplishments is the in General year "See also alle promise activity authority special potential pagnets. Systems, their conspinees A STATE OF MINDS SOUNDS panel Salgon solgons Course Congress 41840 DMTE Desking Abrogen COUDING TO THE PUBLS THE HELD AND STATES THEIR MANY

ing time. Section 18,05(e) of the ECC Bales provides that he THE SHED WHEN A PARTY COUNTY AND A SHEET WAS ASSESSED. peaker the drift's subtract the layers of the drifter in Appeals lighted the manher of powers wall shallon can their ass 000 stored on Management Information Files (MITS)

TRANSPORT OF THE SECURE SCOT AUGUSTON ONE